TRADITIONAL SERIES FIREPLACE & INSERT ELECTRIC FIREPLACES FIREPLACE & INSERT ELECTRIC FIREPLACES





TRADITIONAL XTRA SLIM SMART

The Traditional Xtra Slim Smart electric fireplace offers the perfect balance of style and functionality for any room that it is placed in.

A familiar emblem of welcome and conversation, the TRD Xtra Slim Smart is defined by it's slender depth proportions and seamless integration into any contemporary setting.

Featuring a shimmering flame display, the back of the fireplace is filled with movement that will capture your attention. Adjusting the heat is a simple matter of pushing a button. During the warmer months, the flames can be displayed without heat, making it perfect to use all year round.

KEY FEATURES

- Modern and sleek in design, this unit can be mounted or recessed into any 2" x 4" wall
- Unsurpassed, realistic flames can be enjoyed with or without the use of heat, allowing for year round use
- Clean and Seamless in Design: this fireplace features a full frame viewing area
- WiFi controls come standard
- Remote App- total control of your fireplace from the convenience of your mobile device
- Operate this fireplace from the comfort of your favorite spot with the included full feature remote control
- 2 Heater settings Low 732W High 1465W

• 5000 BTU's Max

- Accessories Included: Clear glass diamonds, black powder coated surround and a full feature
- 11 multi colors of up lighting that accent from the tray
- Flame options include: yellow orange and red. Cycle through 6 different color settings in each
- 3 Speed motor sets the flame speed option
- Smart Heater Control Auto mode feature allows for the unit to operate under your ideal temperature setting
- Perfect for any commercial or residential space

IDEAL APPLICATIONS

- Apartments
- Condos
- Townhouses
- Older homes

TECHNICAL SPECIFICATIONS

Volts 120 12.5 A Watts 1465 max Heater On 1465 watts high,

732 watts low


Heater Off 25 watts Rotor Motor 1 at 5 watts 5000















INCLUDED ACCESSORIES





TRADITIONAL SERIES | FIREPLACE & INSERT ELECTRIC FIREPLACES

• Choose from 11 colors of canopy and ember bed

• Touch pad for convenient control of features and

• Programmable timer & thermostat allows you to

decide the temperature of the room. Set your

fireplace to turn on before you arrive home or

have it automatically turn on when the weather

• Patented thermostatic remote comes included

lighting to illuminate decorative media from

temperature display on the fireplace

below and above

TRADITIONAL SMART

Distinguished by it's timeless elegance and exceptional quality, the Traditional Smart (TRD) series takes it's inspiration from its excellent construction.

The heater vents are concealed in the inner top of the unit for a truly clean appearance. This Traditional Smart fireplace will allow you to breathe new life into any space by adding warmth and ambiance even when the heat is turned off with its radiant flames that will not disappoint during any season.

KEY FEATURES

- Can be fully recessed or semi flush mounted.
- TRD three or four sided surround required for semi flush mounted applications
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and the Apple App Store
- Three speed flame motor
- Choose from combinations of yellow, orange, and red colored flames
- Two flame pattern styles standard and more traditional
- Flame operates with or without heat

TECHNICAL SPECIFICATIONS

120 Volts 12 Amps

1465 Watts Watts

Heater On 1465 Watts high 732 Watts low

5000

Heater Off 22 Watts Rotor Motor 1 at 5 Watts



SERIES MODELS:

BTU

TRD 26 SMART TRD 30 SMART TRD 33 SMART TRD 38 SMART TRD 44 SMART TRD 48 SMART



TRD 26-Smart

TRD 30-Smart

Height, Width, Depth: 16 3/4 x 25 1/4 x 11 3/8 Glass Viewing Opening: 13 1/4 x 23 3/8 Shipping Size: 21 4/4 33 7/8 x 14 5/8 Shipping Weight: 57.5 lbs Glass Included

Height, Width, Depth: 19 1/8 x 29 3/8 x 11 3/8 Glass Viewing Opening: 15 1/2 x 27 1/2 Shipping Size: 21 4/8 x 33 7/8 x 14 5/8 Shipping Weight: 68.6 lbs Glass Included

TRD 33-Smart

Height, Width, Depth: 22 1/4 x 31 3/4 x 11 3/8

Shipping Size: 24 5/8 x 36 2/8 x 14 5/8 Shipping Weight: 78 lbs Glass Included

Glass Viewing Opening: 18 3/4 x 29 7/8

0

INCLUDED ACCESSORIES

10 piece Birch log set, charcoal grey real fireglass media and two bags of vermiculite, in black and white, plus a remote. The 44 & 48 models come with two 10 piece Birch log sets.

TRD 38-Smart

Height, Width, Depth: 27 1/4 x 37 1/8 x 12 3/8 Glass Viewing Opening: 23 5/8 x 35 1/4

Shipping Size: 29 5/8 x 41 6/8 x 14 4/8


Shipping Weight: 101.5 lbs Glass Included

A steel trim and glass inlay are included for the 26, 30, 33 & 38 models only.





mav not be exactly as shown



TRADITIONAL BESPOKE SMART

Using the latest technology, Traditional Bespoke Smart presents a new interpretation of the classic fireplace with quality and style. Select flame colors, sound, heat and so much more by pairing your phone with the fireplace and press play on your smartphone. Heater vents are concealed in the upper top of the unit, enabling a truly clean face appearance.

Enjoy the brilliant flames of this fireplace even while the heat is off for ambiance during every

With this timeless fireplace, you will be able to breathe new life into any room while adding warmth

KEY FEATURES

- 5 Year Warranty
- Fire & Sound Two (2) quality audio speakers deliver a fire crackling sound. The audio is an ON/OFF feature that can be controlled through the WiFi app.
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google play store and the Apple App Store.
- Bluetooth Connectivity Featuring a fireplace with high quality audio from Bluetooth speakers. Simply pair your phone with the fireplace and press play on your smartphone.
- Programmable timer & thermostat allows you to decide the temperature of the room. Set the fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Smart Room Temperature Control - 59°F - 82°F or 15°C - 28°C

- 1465W 5000 BTU, heats up to 500 Sq. Ft. • 50000 hours lifetime LED light source
- Approved for Outdoor Installations*
- Designed with front flow heating and hidden venting so that the unit can be recessed or semi flush mounted
- A clean reduced trim kit allows for a large viewing area with true lifelike flames that can not be rivaled.
- Adjustable flame brightness and speed that can be turned on separately.
- Adjustable ember bed colors that allow for the possibility of auto mixing thousands of
- Most guiet and reliable components in the
- Patented thermostatic remote comes
- Masonary finish to trim option

TECHNICAL SPECIFICATIONS

Volts 120V 12.5 A Amps 1465 Watts Watts

> 1465 Watts high, 732 Watts low

Heater Off 27 Watts – TRD 33 Bespoke

32.6 Watts – TRD 38 Bespoke

37.8 Watts – TRD 44 Bespoke

Rotor Motor 1 at 2.9 Watts

5000

SERIES MODELS:

Heater On

TRD-33 BESPOKE TRD-38 BESPOKE TRD-44 BESPOKE

DESIGN-MEDIA-RUSTIC-14PCE



INCLUDED ACCESSORIES

Models come with a choice of a Design Media kit - Driftwood, Birch or Rustic or ICE media kit





*Manufacturer quidelines regarding outdoor installation must be followed. Please refer to 8 the owner's manual for additional information



ICE MEDIA

FI-109-Diamond





DESIGN-MEDIA-OAK-10PCE









TRADITIONAL SMART INSERTS

KEY FEATURES

- Can be fully recessed or semi flush mounted.
- TRD three or four sided surround required for semi flush mounted applications
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google Play Store and the Apple App Store
- Three speed flame motor
- Choose from combinations of yellow, orange, and red colored flames
- Two flame pattern styles standard and more traditional
- Flame operates with or without heat

- Choose from 11 colors of canopy and ember bed lighting to illuminate decorative media from below and above
- Touch pad for convenient control of features and temperature display on the fireplace
- Programmable timer & thermostat allows you to decide the temperature of the room. Set your fireplace to turn on before you arrive home or have it automatically turn on when the weather
- Patented thermostatic remote comes included

TECHNICAL SPECIFICATIONS

Volts 120V 60Hz

Amps

1465 Watts

1465 Watts high,

732 Watts low

Heater Off Rotor Motor

Heater On

Watts

BTU


22 Watts 1 at 5 Watts

5000

SERIES MODELS:

TRD 26-Smart TRD 30-Smart TRD 33-Smart TRD 38-Smart





INCLUDED ACCESSORIES

Models come with 10 Piece Birch Style Log Set, 2 colors of real fireglass and 2 colors of vermiculite, plus a remote.







3-Sided Surround

4-Sided Surround



TRD 33-Smart Height, Width, Depth: 22 1/4 x 31 3/4 x 11 3/8 Glass Viewing Opening: 18 3/4 x 29 7/8 3-piece Trim: 29 x 42 x 3/4 4-piece Trim: 35 3/8 x 42 x 3/4 Shipping Size: 24 5/8 x 36 2/8 x 14 5/8 Shipping Weight: 78 lbs Glass Included



Height, Width, Depth: 19 1/8 x 29 3/8 x 11 3/8

Glass Viewing Opening: 15 1/2 x 27 1/2

TRD 38-Smart

Height, Width, Depth: 27 1/4 x 37 1/8 x 12 3/8 Glass Viewing Opening: 23 5/8 x 35 1/4

> 3-piece Trim: 34 3/8 x 45 3/4 x 3/4 4-piece Trim: 41 1/8 x 45 3/4 x 3/4

Shipping Size: 29 5/8 x 41 6/8 x 14 4/8 Shipping Weight: 101.5 lbs Glass Included

3-piece Trim: 24 x 38 x 3/4 4-piece Trim: 28 1/2 x 38 x 3/4 Shipping Size: 21 4/8 x 33 7/8 x 14 5/8 Shipping Weight: 69 lbs Glass Included

11

10

TRADITIONAL BESPOKE SMART INSERTS

KEY FEATURES

- 5 Year Warranty
- Fire & Sound Two (2) quality audio speakers deliver a fire crackling sound. The audio is an ON/OFF feature that can be controlled through the WiFi app.
- WiFi compatible to connect and control the fireplace from your smartphone with the use of our app. Available on the Google play store and the Apple App Store.
- Bluetooth Connectivity Featuring a fireplace with high quality audio from Bluetooth speakers. Simply pair your phone with the fireplace and press play on your smartphone.
- Programmable timer & thermostat allows you to decide the temperature of the room. Set the fireplace to turn on before you arrive home or have it automatically turn on when the weather is cold.
- Smart Room Temperature Control - 59°F - 82°F or 15°C - 28°C

- 1465W 5120 BTU, heats up to 500 Sq. Ft
- 50000 hours lifetime LED light source
- Approved for Outdoor Installations*
- Designed with front flow heating and hidden venting so that the unit can be recessed or semi flush mounted.
- A clean reduced trim kit allows for a large viewing area with true lifelike flames that can not be rivaled.
- Adjustable flame brightness and speed that can be turned on separately.
- Adjustable ember bed colors that allow for the possibility of auto mixing thousands of
- Most guiet and reliable components in the industry
- Patented thermostatic remote comes included
- Masonary finish to trim option

TECHNICAL SPECIFICATIONS

Volts 120V 60Hz 12.5 Amps 1465 Watts Watts 1465 Watts high, Heater On

732 Watts low

Heater Off 27 W - TRD 33 Bespoke Insert

32.6 W - TRD 38 Bespoke Insert

Rotor Motor 1 at 2.9 Watts

BTU 5120

SERIES MODELS:

TRD-33 BESPOKE Insert TRD-38 BESPOKE Insert







TRD-33 BESPOKE Insert



TRD-38 BESPOKE Insert





INCLUDED ACCESSORIES

All fireplaces come with a choice of one Designer Media Kit - Driftwood, Rustic, Birch, Split Log, Oak or Ice Media. Remote Control comes included.



Surrounds Optional:



3-Sided Surround







TRD-38 BESPOKE Insert Height, Width, Depth: 27 1/4 x 37 1/8 x 12 3/8

> 3-piece Trim: 34 3/8 x 45 3/4 x 3/4 4-piece Trim: 41 1/8 x 45 3/4 x 3/4 Shipping Size: 29 5/8 x 41 6/8 x 14 4/8

Shipping Weight: 112.2 lbs. Glass Included

Glass Viewing Opening: 23 5/8 x 35 1/4



DESIGN-MEDIA-BIRCH-10PCE



DESIGN-MEDIA-OAK-10PCE

ICE MEDIA

FI-109-Diamond



12

13

TRADITIONAL SERIES | FIREPLACE & INSERT ELECTRIC FIREPLACES

FIRE GLASS

Our decorative fire glass media is a beautiful addition to your fireplace. Turn your fireplace into a expressive work of art by simply adding our decorative fire glass media. Our fire glass adds a distinctly modern feel to your gas fireplace - mix colors and textures for a unique appearance.

Our decorative fire glass is tempered and will not melt or degrade, some discoloration is normal on glass that is placed directly on the flame. Always wear protective gloves when handling fire glass media.

One 5lb container of media will cover 1 square foot.



FI-109 DIAMOND **LRG LOG SET CLEAR** FI-107-DIAMOND **LOG SET**











FIRE & ICE FLAME KIT FIRE & ICE TRAY KIT

components to enable the FIRE & ICE presentation to be included



with the Amantii Smart Fireplace. The Smart models use the latest cutting edge technology and innovation to provide instant heat, realistic flame and adaptive lighting. Fire and Ice Flame and Tray Kits are available for purchase. Images are not to scale, please visit your local dealer to view the actual accessories.

Variations in the color and shade are inherent in all printing processes, the actual colors may vary slightly from those shown.

Note: Log sets and Designer Media Kits will fit in all sizes of the following models - Panorama DEEP, TRU VIEW XL and CUBE ONLY.


(Depending on the size of the fireplace model, some logs may not be

DESIGNER MEDIA KITS

Add incredible value with designer media kits including deluxe log sets, glass and stone media and decorative embers.

DESIGN-MEDIA-BIRCH-10PCE





DESIGN-MEDIA-NATURAL-8PCE



DESIGN-MEDIA-14PCE











15-piece Birch loc

DESIGN-MEDIA-BIRCH-15PCE DESIGN-MEDIA-15PCE







90-piece pebble Rocks Embers 2 & 4

DESIGN-MEDIA-6PCE







DESIGN-MEDIA-SPLIT-LOG-16PCE




DESIGN-MEDIA-BIRCH-12PCE



Birch12-piece log Approved for use in the following Amantii Electric Fireplaces: Tru View XL Deep, TRV XL-XT, Panorama BI-Deep XT, Symmetry XT, Symmetry XT Bespoke, Traditional (TRD) Bespoke, Traditional (TRD) 33",38",44", 48"

15

Embers 2 Embers 3 Embers 4 Embers 1 Embers 2 Embers 3 Embers 4 14



AM-TRD-BROCH-US SEPT 2022

Distributed By:

Product updates, specifications and dimensions are subject to change. Please refer to the product manual to verify measurements and clearance requirements. All local building codes must be followed.



Visit our online showrooms at:

www.amantii.com